Site Access: MyMichigan Health



Great Lakes Safety Training Center assists various sites with their Contractor Site Access. Each site has a different set of contractor requirements, which may depend on job, time on the site, and access types.

For MyMichigan Health, each contractor is required to have a Background Check and training to gain access and work on site. Below is the information which is required and a break down for each job type. As always, MyMichigan Health has the final say on all contractor access.

Classes	Class Expiration	Background	Class Cost	Background Cost
OSHA 10 OR Dow CMT	OSHA-N/A	GLSTC Level 1 Background	OSHA10	\$69member
			Online from GLSTC (\$71M -	\$83 non (pay up front)
Asbestos Awareness	Dow CMT – 1 Year	B/G with Informed Consent	\$79NM)	
		and Disclosure form for all	Instructor Led GLSTC (\$150M -	* Additional fees may apply for
MMH Site Specific	Asbestos Awareness – 1 Year	contractors	\$180NM)	certain states and countries.
Training			Other Source – Copy of	
	MMH Site Specific – 1 Year	Valid for 7 years unless a	certificateof	
Covid Vaccine OR			completion/OSHA card (No	
Medical/Religious	Covid Vaccine – N/A	Contractors with a current	Cost)	
Exemption		Level 1 Background (within		
		7 years) for Dow Chemical	<u>DOW CMT</u> (\$119M - \$142NM)	
		access will be accepted for		
		MMH requirements.	Asbestos Awareness	
			Instructor Led GLSTC (\$39M -	
			\$48NM)	
			Other Source - Copy of	
			certificateof	
			completion(\$10/personor	
			\$40/Company)	
			AAAALI Ciba Caaalii aa AACCAA	
			MMH Site Specific – (\$60M -	
			\$75NM)	
			Covid Vaccine – (\$13.50M -	
			1	
			\$17NM)	

^{*}Please note that a contractor with a current badge for access into Dow Chemical with an up-to-date background check and Construction & Maintenance training will only need to take the Asbestos Awareness and MMH Site Specific training. *

The average turn-around time is 3-5 business days for a standard US Background Check. All backgrounds must be submitted either by fax (989.837.6330) or email (background@glstc.org).